Printing date 08/17/2017

Reviewed on 08/17/2017

1 Identification

- **Product identifier** 325V
- · Trade name: 325V Metered IMPACT GENAIRE Vanilla Bean
- Manufacturer article number: EAEDC252
- Application of the substance / the mixture Air Freshener.
- Details of the supplier of the safety data sheet (789)(86)
 Manufacturer/Supplier: Impact Products, LLC
 2840 Centennial Road Toledo, Ohio 43617-1898
- Information department: Product Safety Department
 Emergency telephone number: Phone: 800.333.1541
 Fax: 800.333.1541
 Email: custserv@impact-products.com
 Emergency Telephone 24 hr
 INFOTRAC 1-352-323-3500 (International)
 1-800-535-5053 (North America)

2 Hazard(s) identification

· Classification of the substance or mixture

GHS02 Flame

Flam. Aerosol 1 H222 Extremely flammable aerosol.

GHS04 Gas cylinder

Press. Gas H280 Contains gas under pressure; may explode if heated.

GHS07

Eye Irrit. 2A	H319 Causes serious eye irritation.
STOT SE 3	H336 May cause drowsiness or dizziness.

· Label elements

• GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



- · Signal word Danger
- Hazard-determining components of labeling: acetone

Hazard statements
 Extremely flammable aerosol.
 Contains gas under pressure; may explode if heated.
 Causes serious eye irritation.
 May cause drowsiness or dizziness.

(Contd. on page 2)

US

Printing date 08/17/2017

Reviewed on 08/17/2017

Trade name: 325V Metered IMPACT GENAIRE Vanilla Bean

· Precautionary statements (Contd. of page 1)
Keep away from heat/sparks/open flames/hot surfaces. No smoking.
Do not pierce or burn, even after use.
Do not spray on an open flame or other ignition source.
Avoid breathing dust/fume/gas/mist/vapors/spray
Wear eye protection / face protection.
Wash thoroughly after handling.
Use only outdoors or in a well-ventilated area.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
Continue rinsing.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
Call a POISON CENTER/doctor if you feel unwell.
If eye irritation persists: Get medical advice/attention.
Store locked up.
Protect from sunlight. Store in a well-ventilated place.
Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.
Store in a well-ventilated place. Keep container tightly closed.
Dispose of contents/container in accordance with local/regional/national/international regulations.
· Classification system:
· NFPA ratings (scale 0 - 4)
(1) I A Taungs (scare 0 - 4)
Health = 1
Fire = 4
1 1 Reactivity = 1
· HMIS-ratings (scale 0 - 4)
HEALTH 1 $Health = 1$
FIRE 4 $Fire = 4$
REACTIVITY 1 <i>Reactivity</i> = 1
· Other hazards
· Results of PBT and vPvB assessment
• <i>PBT:</i> Not applicable.
• vPvB : Not applicable.
**

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:		
67-64-1 acetone	50-100%	
75-28-5 isobutane	10-25%	
74-98-6 propane	2.5-<10%	
106-97-8 butane	0.1-≤2.5%	
Fragrance Trade Secret (789)	0.1- <u>≤</u> 2.5%	

4 First-aid measures

· Description of first aid measures

• After inhalation: Supply fresh air; consult doctor in case of complaints.

• After skin contact: Generally the product does not irritate the skin.

• After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

• After swallowing: If symptoms persist consult doctor.

(Contd. on page 3)

[–] US

(Contd. of page 2)

Safety Data Sheet acc. to OSHA HCS

Printing date 08/17/2017

Reviewed on 08/17/2017

Trade name: 325V Metered IMPACT GENAIRE Vanilla Bean

- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:
- *Use fire-extinguishing media appropriate for surrounding materials. Foam. Dry powder. Carbon dioxide. Water spray. Sand.*
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- *Environmental precautions:* Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up: Ensure adequate ventilation.
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.
- · Protective Action Criteria for Chemicals

PAC-1:		
67-64-1	acetone	200 ppm
	isobutane	5500* ppn
74-98-6	propane	5500* ppn
106-97-8	butane	5500* ppn
142-90-5	dodecyl methacrylate	6.9 ppm
110-91-8	morpholine	30 ppm
120-51-4	Benzyl benzoate	5.7 mg/m3
91-64-5	Coumarin	0.88 mg/m
100-51-6	Benzyl alcohol	30 ppm
105-13-5	Anisyl alcohol	2.2 mg/m3
PAC-2:		
67-64-1	acetone	3200* ppm
75-28-5	isobutane	17000** pp
74-98-6	propane	17000** pp
106-97-8	butane	17000** pp
142-90-5	dodecyl methacrylate	76 ppm
110-91-8	morpholine	1,300 ppm
120-51-4	Benzyl benzoate	63 mg/m3
91-64-5	Coumarin	9.7 mg/m3
100-51-6	Benzyl alcohol	52 ppm
105-13-5	Anisyl alcohol	25 mg/m3
PAC-3:		<u>_</u>
67-64-1	acetone	5700* ppm

Printing date 08/17/2017

Reviewed on 08/17/2017

Trade name: 325V Metered IMPACT GENAIRE Vanilla Bean

		(Contd. of page 3)
75-28-5	isobutane	53000*** ppm
74-98-6	propane	33000*** ppm
106-97-8	butane	53000*** ppm
142-90-5	dodecyl methacrylate	460 ppm
110-91-8	morpholine	8000** ppm
120-51-4	Benzyl benzoate	380 mg/m3
91-64-5	Coumarin	58 mg/m3
100-51-6	Benzyl alcohol	740 ppm
105-13-5	Anisyl alcohol	260 mg/m3

7 Handling and storage

· Handling:

• Precautions for safe handling No special precautions are necessary if used correctly.

- Information about protection against explosions and fires: Do not spray on a naked flame or any incandescent material.
- Keep ignition sources away Do not smoke.

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C, i.e. electric lights. Do not pierce or burn, even after use.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- *Requirements to be met by storerooms and receptacles:* Observe official regulations on storing packagings with pressurized containers.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

- · Control parameters
- · Components with limit values that require monitoring at the workplace:
- The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

67-64-1 acetone	
PEL Long-term value: 2400 mg/m ³ , 1000 ppm	
REL Long-term value: 590 mg/m ³ , 250 ppm	
TLV Short-term value: 1187 mg/m ³ , 500 ppm Long-term value: 594 mg/m ³ , 250 ppm BEI	
75-28-5 isobutane	
TLV Short-term value: (2370) mg/m ³ , (1000) ppm NIC-EX	
74-98-6 propane	
PEL Long-term value: 1800 mg/m ³ , 1000 ppm	
REL Long-term value: 1800 mg/m ³ , 1000 ppm	
TLV refer to Appendix F inTLVs&BEIs book; NIC-EX	
	(Contd. on page

US

Safety Data Sheet acc. to OSHA HCS

Printing date 08/17/2017

Reviewed on 08/17/2017

Trade name: 325V Metered IMPACT GENAIRE Vanilla Bean

106-9	97-8 butane (Contd. of pag
REL	Long-term value: 1900 mg/m ³ , 800 ppm
	Short-term value: (2370) mg/m ³ , (1000) ppm
12,	NIC-EX
Ingre	edients with biological limit values:
67-64	4-1 acetone
BEI	50 mg/L
	Medium: urine
	Time: end of shift
	Parameter: Acetone (nonspecific)
Addi	tional information: The lists that were valid during the creation were used as basis.
Expo	sure controls
	onal protective equipment:
	ral protective and hygienic measures:
	away from foodstuffs, beverages and feed.
	ediately remove all soiled and contaminated clothing.
	hands before breaks and at the end of work.
	l contact with the eyes.
	l contact with the eyes and skin.
	thing equipment: Not required.
	ection of hands:
	love material has to be impermeable and resistant to the product/ the substance/ the preparation.
	to missing tests no recommendation to the glove material can be given for the product/ the preparati
	hemical mixture.
Selec	ction of the glove material on consideration of the penetration times, rates of diffusion and
	ıdation
Mate	rial of gloves
and v resist	relection of the suitable gloves does not only depend on the material, but also on further marks of qua varies from manufacturer to manufacturer. As the product is a preparation of several substances, tance of the glove material can not be calculated in advance and has therefore to be checked prior to cation.
Pene	tration time of glove material
	exact break through time has to be found out by the manufacturer of the protective gloves and has to
obser	ved.
Eye p	protection:
Safet	y glasses
	Tightly sealed goggles

General Information Appearance:		
Form:	Aerosol	
Color:	According to product specification	
Odor:	Characteristic	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	-94.7 °C (-138 °F)	

Printing date 08/17/2017

Reviewed on 08/17/2017

Trade name: 325V Metered IMPACT GENAIRE Vanilla Bean

	(Contd. of page
Boiling point/Boiling range:	-44 °C (-47 °F)
Flash point:	$< 0 \ ^{\circ}C \ (< 32 \ ^{\circ}F)$
Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	460 °C (860 °F)
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapo mixtures are possible.
Explosion limits: Lower: Upper:	1.8 Vol % 13.0 Vol %
Vapor pressure at 20 $^{\circ}C$ (68 $^{\circ}F$):	3000 hPa (2250 mm Hg)
Density: Relative density Vapor density Evaporation rate	Not determined. Not determined. Not determined. Not applicable.
Solubility in / Miscibility with Water:	Not miscible or difficult to mix.
Partition coefficient (n-octanol/wate	r): Not determined.
Viscosity: Dynamic: Kinematic:	Not determined. Not determined.
Solvent content: Organic solvents: VOC content:	83.8 % 26.1 % 260.6 g/l / 2.18 lb/gl
Solids content: Other information	3.8 % No further relevant information available.

10 Stability and reactivity

• *Reactivity* No further relevant information available.

· Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:

· LD/LC50 values that are relevant for classification:

67-64-1 acetone

Oral LD50 5800 mg/kg (rat)

Dermal LD50 20000 mg/kg (rabbit)

(Contd. on page 7)

[•] US

(Contd. of page 6)

3

3

Safety Data Sheet acc. to OSHA HCS

Printing date 08/17/2017

Reviewed on 08/17/2017

Trade name: 325V Metered IMPACT GENAIRE Vanilla Bean

D	• • • • • •		

• **Primary irritant effect:** • **on the skin:** No irritant effect.

• on the eye: Irritating effect.

· Sensitization: No sensitizing effects known.

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

110-91-8 morpholine

91-64-5 Coumarin

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

• Recommendation: Disposal must be made according to official regulations.

· UN-Number		
DOT, IMDG, IATA	UN1950	
· UN proper shipping name		
-DOT	Aerosols, flammable	
IMDG	AEROSOLS	
· IATA	AEROSOLS, flammable	
• Transport hazard class(es)		
DOT		
FLAMMABLE GAS		
FLAMMABLE GAS		
- Class	2.1	

[·] Uncleaned packagings:

Printing date 08/17/2017

Reviewed on 08/17/2017

Trade name: 325V Metered IMPACT GENAIRE Vanilla Bean

	(Contd. of page
Label	2.1
IMDG, IATA	
- Class	2.1
Label	2.1
Packing group DOT, IMDG, IATA	not regulated
Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Warning: Gases
Danger code (Kemler):	-
EMS Number:	F-D,S-U
Stowage Code	SW1 Protected from sources of heat.
Segregation Code	SW22 For AEROSOLS with a maximum capacity of 1 litre Category A. For AEROSOLS with a capacity above 1 litre Category B. For WASTE AEROSOLS: Category C, Clear of living quarters. SG69 For AEROSOLS with a maximum capacity of 1 litre Segregation as for class 9. Stow "separated from" class 1 excep for division 1.4. For AEROSOLS with a capacity above 1 litre Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision of class 2.
Transport in bulk according to Annex A MARPOL73/78 and the IBC Code	II of Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 75 kg On cargo aircraft only: 150 kg
IMDG	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E0
	Not permitted as Excepted Quantity
UN "Model Regulation":	UN 1950 AEROSOLS, 2.1

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

 • Section 355 (extremely hazardous substances):

 None of the ingredients is listed.

 • Section 313 (Specific toxic chemical listings):

 None of the ingredients is listed.

 • TSCA (Toxic Substances Control Act):

 67-64-1

 acetone

 75-28-5

 isobutane

 (Contd. on page 9)

Printing date 08/17/2017

Reviewed on 08/17/2017

Trade name: 325V Metered IMPACT GENAIRE Vanilla Bean

		(Contd. of page 8)
74-98-6	propane	(conta: of page o)
106-97-8	butane	
25265-71-8	oxydipropanol	
142-90-5	dodecyl methacrylate	
110-91-8	morpholine	
120-51-4	Benzyl benzoate	
91-64-5	Coumarin	
100-51-6	Benzyl alcohol	
105-13-5	Anisyl alcohol	
	benzyl salicylate	
78-70-6	Linalool	
· Proposition	65	
	nown to cause cancer:	
None of the	ingredients is listed.	
	nown to cause reproductive toxicity for females:	
-	ingredients is listed.	
	nown to cause reproductive toxicity for males:	
U U	ingredients is listed.	
· Chemicals k	nown to cause developmental toxicity:	
None of the	ingredients is listed.	
· Carcinogen	c categories	
· EPA (Envir	onmental Protection Agency)	
67-64-1 ace	tone	I
· TLV (Thres	hold Limit Value established by ACGIH)	
67-64-1 ac	retone	A4
110-91-8 m	orpholine	A4
· NIOSH-Ca	(National Institute for Occupational Safety and Health)	
	ingredients is listed.	
· Hazard picto	is classified and labeled according to the Globally Harmonized System (GHS).	
· Signal word	Danger	
· Hazard-dete	rmining components of labeling:	
acetone		
• Hazard state Extremely fl	e ments ammable aerosol.	
	s under pressure; may explode if heated.	
Causes serie	us eye irritation.	
	rowsiness or dizziness.	
· Precautiona		
	rom heat/sparks/open flames/hot surfaces. No smoking. e or burn, even after use.	
Do not spray	on an open flame or other ignition source.	
Avoid breath	ning dust/fume/gas/mist/vapors/spray	(Contd. on page 10)

(Contd. on page 10)

⁻ US -

Printing date 08/17/2017

Reviewed on 08/17/2017

Trade name: 325V Metered IMPACT GENAIRE Vanilla Bean

(Contd. of page 9) Wear eye protection / face protection. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell. If eye irritation persists: Get medical advice/attention. Store locked up. Protect from sunlight. Store in a well-ventilated place. Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. Store in a well-ventilated place. Keep container tightly closed. Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Product Safety Department

- · Contact: 800.333.1541
- · Date of preparation / last revision 08/17/2017 / 8

· Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit Flam. Aerosol 1: Aerosols - Category 1 Press. Gas: Gases under pressure - Compressed gas Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 • * Data compared to the previous version altered.